

# LISTING OF CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

1-6. (Canceled).

7. (Currently Amended) A surgical apparatus, comprising:

a tube defining ~~an~~ a central axis and having a proximal end and a distal end;

a suction device formed from a flexible material, the suction device being connected to and coaxial with the distal end of the tube and having ~~a distal surface~~ flexible distal portion that includes a flexible peripheral sealing surface having a shape and a size for being removably securable to myocardial tissue, the suction device extending from the tube distal end such that the peripheral sealing surface is located distally of the tube distal end and extends outwardly beyond an outer surface of the tube distal end such that suction device across the peripheral sealing surface is wider than the tube distal end; and a width of the distal surface of the suction device being greater than a width of the distal end of the tube, the suction device having a shape and a size for being removably securable to myocardial tissue; and

a tissue stimulation element that is too small to form a transmural lesion in myocardial tissue, the tissue stimulation element being supported on the peripheral sealing surface of the distal portion of the suction device ~~distal surface~~;

wherein the suction device does not carry an apparatus that is capable of forming a transmural lesion in myocardial tissue.

8. (Original) A surgical apparatus as claimed in claim 7, wherein the tube comprises a flexible tube.

9. (Canceled).

10. (Original) A surgical apparatus as claimed in claim 7, wherein the suction device is substantially cup-shaped\_

11. (Original) A surgical apparatus as claimed in claim 7, wherein the tissue stimulation element comprises a stimulation electrode.

12. (Withdrawn) A surgical apparatus as claimed in claim 7, wherein the tissue stimulation element comprises a stimulation electrode pair.

13-27. (Canceled)

28. (Currently Amended) A surgical system for use with tissue, comprising:  
 a source of stimulation energy;  
 a suction source; and  
 a surgical apparatus including

a flexible tube, operably connected to suction source, the tube defining ~~an~~  
a central axis and having a proximal end and a distal end,

a suction device formed from a flexible material, the suction device being  
 connected to and coaxial with the distal end of the tube and having a ~~distal surface~~ a flexible  
distal portion that includes a flexible peripheral sealing surface having a shape and a size for  
being removably securable to myocardial tissue, the suction device extending from the tube  
distal end such that the peripheral sealing surface is located distally of the tube distal end and  
extends outwardly beyond an outer surface of the tube distal end such that the suction device  
across the peripheral sealing surface is wider than the tube distal end, a width of the distal  
 surface being greater than a width of the distal end of the tube, the suction device having a shape  
 and a size for being removably securable to myocardial tissue, and

a tissue stimulation element that is too small to form a transmural lesion in  
 myocardial tissue, operably connected to the source of stimulation energy, the tissue stimulation  
 element being supported on the peripheral sealing surface of the distal portion of the suction  
~~device-distal surface~~;

wherein the suction device does not carry an apparatus that is capable of  
 forming a transmural lesion in myocardial tissue.

29. (Withdrawn) A surgical system as claimed in claim 28, wherein the tissue stimulation element comprises a stimulation electrode pair.
30. (Previously Presented) A surgical system as claimed in claim 28, wherein the distal region of the tube does not include an electrode that is large enough to form a transmural lesion in myocardial tissue.
31. (Previously Presented) A surgical system as claimed in claim 28, wherein the tissue stimulation element defines a perimeter of about 1.5 mm to 3 mm.
32. (Previously Presented) A surgical system as claimed in claim 31, wherein the tissue stimulation element defines a thickness of about 0.01 mm.
33. (Previously Presented) A surgical system as claimed in claim 31, wherein the tissue stimulation element defines a diameter of about 0.5 mm to 1.0 mm.
34. (Previously Presented) A surgical system as claimed in claim 28, wherein the source of stimulation energy is configured to supply stimulation pulses that are about 1 millisecond in duration and about 10 mA in amplitude.
35. (Previously Presented) A surgical system as claimed in claim 34, wherein the source of stimulation energy is configured to supply two stimulation pulses per second.
36. (Canceled)
37. (Previously Presented) A surgical apparatus as claimed in claim 7, wherein the tissue stimulation element defines a perimeter of about 1.5 mm to 3 mm.
38. (Previously Presented) A surgical apparatus as claimed in claim 37, wherein the tissue stimulation element defines a thickness of about 0.01 mm.

39. (Previously Presented) A surgical apparatus as claimed in claim 37, wherein the tissue stimulation element defines a diameter of about 0.5 mm to 1.0 mm.

40. (Previously Presented) A surgical apparatus as claimed in claim 7, wherein the suction device does not carry an electrode that is large enough to form a transmural lesion in myocardial tissue.

41-42. (Canceled)

43. (Currently Amended) A surgical apparatus, comprising:  
 a flexible tube defining ~~an~~ a central axis and having a proximal end and a distal end;  
 a suction device formed from a flexible material, the suction device being connected to and coaxial with the distal end of the tube and having ~~a distal surface~~ flexible distal portion that includes a flexible peripheral sealing surface having a shape and a size for being removably securable to myocardial tissue, the suction device extending from the tube distal end such that the peripheral sealing surface is located distally of the tube distal end and extends outwardly beyond an outer surface of the tube distal end such that the suction device across the peripheral sealing surface is wider than the tube distal end, a width of the distal surface being greater than a width of the distal end of the tube, the suction device having a shape and a size for being removably securable to myocardial tissue; and  
 tissue stimulation means, carried by the peripheral sealing surface of the distal portion of the suction device distal surface, for stimulating myocardial tissue without forming a transmural lesion in the myocardial tissue;  
 wherein the suction device does not carry an apparatus that is capable of forming a transmural lesion in myocardial tissue.

44. (Previously Presented) A surgical apparatus as claimed in claim 43, wherein the tube comprises a flexible tube.

45. (Canceled).

46. (Previously Presented) A surgical apparatus as claimed in claim 43, wherein the suction device is substantially cup-shaped.

47. (Previously Amended) A surgical apparatus as claimed in claim 7, further comprising:

a signal line that is connected to the tissue stimulation element and extends through the tube.

48-53. (Canceled)

54. (Previously Presented) The surgical apparatus as claimed in claim 7, wherein the suction device defines lumen, and the distal surface carrying the tissue stimulation element extends outwardly beyond lumen.

55. (Previously Presented) The surgical apparatus as claimed in claim 28, wherein the suction device defines lumen, the suction device is connected to the suction source by the lumen, and the distal surface carrying the tissue stimulation element extends outwardly beyond lumen.

56. (Previously Presented) The surgical apparatus as claimed in claim 43, wherein the suction device defines lumen, and the distal surface carrying the tissue stimulation element extends outwardly beyond lumen.

57. (New) The surgical apparatus of claim 7, wherein the peripheral sealing surface is the widest portion of the suction device.

58. (New) The surgical apparatus of claim 28, wherein the peripheral sealing surface is the widest portion of the suction device.

59. (New) The surgical apparatus of claim 43, wherein the peripheral sealing surface is the widest portion of the suction device.